



**WORTHINGTON**  
CYLINDERS  
Surrounded by Quality™



## INDUSTRIAL GAS

## ACETYLENE CYLINDERS



### SPECIFICATIONS

MODEL	AC-10	AC-40	ACC-40	AC-75	AC-145	AC-210	AC-250	AC-310	AC-390	AC-420
ACETYLENE CAPACITY (CU.FT.)	10	40	40	75	145	210	250	310	390	420
ACETYLENE CAPACITY (CU.METERS)	0.3	1.1	1.1	2.1	4.1	5.9	7.1	8.8	11	11.9
OUTSIDE DIAMETER (IN.)	3.9	6.2	6.2	7.2	8.2	10.3	10.3	12.3	12.3	12.3
OUTSIDE DIAMETER (MM)	99.8	156.9	156.9	182.3	208.4	260.6	260.6	312.5	312.5	312.5
HEIGHT (REF.) W/O VALVE (IN.)	13	19.7	20	25.8	33.9	32	36.6	32.7	40.2	40.9
HEIGHT (REF.) W/O VALVE (MM)	330.2	500.5	508	655.3	861.1	812.8	929.6	830.6	1,021	1,039
HEIGHT W/ CAP (IN.)	15	23.3	28.3	31.7	39.8	37.9	42.5	38.6	46.1	46.8
HEIGHT W/ CAP (MM)	381	591.8	718.8	805.2	1,010.9	962.7	1,079.5	980.4	1,170.9	1,188.7
NOMINAL TARE WEIGHT (LBS.)	7.4	25.8	28	44	76.4	106	119.3	158.2	191	197.4
NOMINAL TARE WEIGHT (KG)	3.3	11.6	12.9	19.8	34.4	47.7	53.7	71.2	86	88.8

#### NOTES:

- Cylinder capacities are based on commercially pure acetylene gas at 250 psig and 70° Fahrenheit
- AC-10 and AC-40 cylinders are not equipped with valve protection cap
- Shipping weight includes valve protection cap on models AC-75 and larger
- Manufactured in accordance with DOT-8/TC-8WM or DOT-8A/TC-8WAM specifications

**WORTHINGTON**  
CYLINDERS  
A Worthington Industries Company



TANKS FOR **35** GREAT YEARS

200 Old Wilson Bridge Road  
Columbus, Ohio 43085  
Toll-free: 866.WC.TANKS (866.928.2657)  
Phone: 614.438.3013  
Fax: 614.438.3083  
Cylinders@WorthingtonIndustries.com  
WorthingtonCylinders.com